FIG. 1



FIG. 2


RSA
CERTIFICATE
AUTHORITY
(RSA-CA)
31
ECC
CERTIFICATE
AUTHORITY
(ECC-CA)
21
RSA
REGISTRATION
AUTHORITY
(RSA-RA)
32
ECC
REGISTRATION
AUTHORITY
(ECC-RA)
22
RSA
ECC
RSA
END ENTITY
(RSA-EE)
33
ECC
END ENTITY
(ECC-EE)
23

FIG. 3


31
RSA-CA
(3)
(4)
ECC-CA
21
(SH2)
ECC-RA
22
(5)
(2)
33
RSA
Device
(6)
(1)
ECC
Device
23

FIG. 4



FIG.5

EXAMPLE OF CERTIFICATE FORMAT (BASED ON X.509 V3)

ITEMS	DESCRIPTION	SETTINGS WITH THIS IA
Version 1		
version	VERSION OF CERTIFICATE FORMAT	V3
serial Number	CERTIFICATE SERIAL NUMBER FURNISHED BY IA	SEQUENTIAL SERIAL NUMBER
signature.algorithm Identifier algorithm parameters	CERTIFICATE SIGNATURE ALGORITHM AND PARAMETERS	·ELLIPTIC CURVE CRYPTOGRAPHY OR RSA ·PARAMETERS IN THE CASE OF ELLIPTIC CURVE CRYPTOGRAPHY ·KEY LENGTH IN THE CASE OF RSA
issuer	IA NAME (DISTINGUISHED NAME FORMAT)	NAME OF THIS IA
validity notBefore notAfter	VALIDITY OF CERTIFICATE ·STARTING DATE AND TIME ·ENDING DATE AND TIME	
subject	USER IDENTIFICATION NAME	USER DEVICE ID OR SERVICE ENTITY ID
subject Public Key Info algorithm subject Public key	USER'S PUBLIC KEY INFORMATION ·KEY ALGORITHM ·PUBLIC KEY	·ELLIPTIC CURVE CRYPTOGRAPHY OR RSA ·USER'S PUBLIC KEY
Version 3		
authority Key Identifier key Identifier authority Cert Issuer authority Cert Serial Number	·KEY IDENTIFIER FOR SIGNATURE VERIFICATION BY IA ·KEY ID NUMBER (OCTAL) ·IA NAME (GENERAL NAME FORMAT) ·CERTIFICATE SERIAL NUMBER	
subject key Identifier	APPLICABLE WHERE MULTIPLE KEYS NEED TO BE CERTIFIED	NOT USED
key usage (0) digital Signature (1) non Repudiation (2) key Encipherment (3) data Encipherment (4) key Agreement (5) key CertSign (6) cRL Sign	THE PURPOSE OF KEY USAGE IS DESIGNATED (0) FOR DIGITAL SIGNATURE (1) FOR REPUDIATION PREVENTION (2) FOR KEY ENCRYPTION (3) FOR MESSAGE ENCRYPTION (4) FOR DISTRIBUTION OF COMMON KEY (5) FOR VERIFICATION OF SIGNATURE ON CERTIFICATE (6) FOR VERIFICATION OF SIGNATURE ON CERTIFICATE REVOCATION LIST	USAGE (0), (1), (4) AND (6) APPLY
private Key Usage Period notBefore notAfter	USAGE PERIOD OF USER'S PRIVATE KEY	USAGE PERIOD OF CERTIFICATE=USAGE PERIOD OF PUBLIC KEY=USAGE PERIOD OF PRIVATE KEY (DEFAULT)

FIG.6

policy Mappings issuer Domain Policy subject Domain Policy	NECESSARY ONLY WHEN CA IS CERTIFIED. AN ISSUER DOMAIN POLICY AND A SUBJECT DOMAIN POLICY ARE DEFINED.	NONE BY DEFAULT
supported Algorithms algorithm Identifier intended Usage intended Certificate Policies	ATTRIBUTES OF THE DIRECTORY (X.500) ARE DEFINED. WHEN THE OPPOSITE PARTY OF COMMUNICATION IS TO USE DIRECTORY INFORMATION, THAT PARTY IS INFORMED OF THE DIRECTORY ATTRIBUTES IN ADVANCE.	NONE BY DEFAULT
subject Alt Name	USER'S ALTERNATIVE NAME (GENERAL NAME FORMAT).	NOT USED
issuer Alt Name	THIS FIELD IS INCLUDED (NONE BY DEFAULT).	NONE BY DEFAULT
subject Directory Attributes	USER'S ANY ATTRIBUTES.	NOT USED
basic Constraints cA path Len Constraint	THIS FIELD SPECIFIES WHETER THE PUBLIC KEY SUBJECT TO CERTIFICATION IS TO BE SIGNED BY THE CERTIFICATE AUTHORITY (CA) OR USED BY THE USER.	USED BY USER BY DEFAULT
name Constraints permitted Subtrees base minimum maximum excluded Subtrees	USED ONLY WHEN THE SUBJECT IS CA (CA CERTIFICATION).	NONE BY DEFAULT
policy Constraints require Explicit Policy inhibit Policy Mapping	DESCRIBED HERE ARE CONSTRAINTS REQUIRING EXPLICIT POLICY IDs AND INHIBIT POLICY MAPPING FOR THE REMAINING CERTIFICATION PATHS.	
CRL Distribution Points	DESCRIBED HERE ARE POINTS AT WHICH THE USER REFERENCES THE CERTIFICATE REVOCATION LIST (CRL) TO SEE WHETHER THE CERTIFICATE IS REVOKED.	THESE POINTS SERVE AS POINTERS INDICATING WHERE THE CERTIFICATE IS REGISTERED. THE CERTIFICATE REVOCATION LIST IS MANAGED BY THE ISSUER.
SIGNATURE	ISSUER'S SIGNATURE	

FIG. 7


S1
LET p BE CHARACTERISTIC, AND a, b BE COEFFICIENTS OF ELLIPTIC CURVE. DEFINE ELLIPTIC CURVE BY $y^2=x^3+ax+b$. LET G BE BASE POINT OF CURVE; r BE ORDER OF G; M BE MESSAGE; Ks BE PRIVATE KEY; AND G, Ks x G BE PUBLIC KEY.
S2
CALCULATE F=Hash(M)
S3
GET RANDOM NUMBER GENERATOR TO GENERATE u (0<u<r)
S4
CALCULATE Y=u x G=(Xv, Yv)
S5
CALCULATE c =Xv mod r
S6
c=0 ?
YES
NO
S7
CALCULATE d=[(f+cKs)/u] mod r
S8
d=0 ?
YES
NO
S9
LET SIGNATURE DATA BE(c, d)

FIG.8


LET p BE CHARACTERISTIC, AND a, b BE COEFFICIENTS OF ELLIPTIC CURVE. DEFINE ELLIPTIC CURVE BY y² = x³ + ax + b. LET G BE BASE POINT OF CURVE; r BE ORDER OF G; M BE MESSAGE; (c, d) BE SIGNATURE; AND G, Ks x G BE PUBLIC KEY.
S11
S12
0<c<r AND 0<d<r ?
NO
YES
S13
CALCULATE f=Hash(M)
S14
CALCULATE h =1/d mod r
S15
CALCULATE h1 =fh mod r AND h2 =ch mod r
S16
CALCULATE POINT P= (Xp, Yp)=h1 x G+h2·Ks x G
S17
IS P INFINITE POINT ?
YES
NO
S18
DOES c=Xp mod r HOLD ?
NO
YES
S19
SIGNATURE VALID
S20
SIGNATURE INVALID

FIG. 9



FIG. 10A



FIG. 10B



FIG. 11



FIG. 12


V1
74
71
Sign. Algo. Identifier
Algorithm_<A>
Parameter_xxx
V3
Flag = 1
76
72
Sign. Algo. Identifier
Algorithm_<B>
Parameter_yyy
77
75
Sign.<B>
73
Sign.<A>

FIG. 13


V1
84
81
Sign. Algo. Identifier
Algorithm_<A>
Parameter_xxx
V3
Flag = 1
86
82
Sign. Algo. Identifier
Algorithm_<B>
Parameter_yyy
87
83
Sign.<A>
Sign.<B>
85

FIG. 14



FIG. 15





FIG. 16

FIG. 17





FIG. 18

FIG. 19



FIG. 20


503
504
RSA-CA
ECC-CA
(SH3)
RSA&ECC-
RA
505
PUBLIC KEY
CERTIFICATE
501
RSA
Device
ECC
Device
502
PUBLIC KEY
CERTIFICATE

FIG. 21



FIG. 22



FIG. 23